

Special lecture

Dr. Robert E. Lamb(24 March 12:15-13:30)

Achieving Optimal Gingival Esthetics Around Immediately Restored Dental Implants:
Prosthodontic and Surgical Protocols

Dr. Shin Fukudo(25 March 15:30-17:00)

Invited lecture

Dr. Heike Kraemer(25 March 11:00-12:00)

Functional Diagnosis and Therapy -- A Practice Builder for a General Practitioner: From
Repair Dentistry to Comprehensive Care

Chairperson lecture

Prof. Sadao Sato(25 March 9:15-11:00)

Symposium

[Is the splint effective for temporomandibular disorder?
- the effect of the splint therapy-](24 March 16:00-18:10)

Keynote lecture : Prof. Sadao Sato

Chairperson : Dr. Satoshi Aoki

Panelist : Dr. Kazuhiro Nagata

Dr. Markus Greven

Dr. Ken Tajima

Oral Presentation

Dr. Nobuyuki Watanabe

The occlusal reconstruction in case of the loss of many teeth and osseous tissue.

Dr. Kosuke Yamaguchi

The case that used dental implant together with orthodontic therapy in consideration of functional occlusion.

Dr. Akiyoshi Shirasu

ClassII case with the degenerative transformation of the left mandibular condyle which performed occlusal reconstruction using GUMMETAL.

Dr. Hidehiro Yoshimi

The examination matter of the case in which the complete denture performed decompression.

Dr. Atushi Morimoto

ClassII High Angle case with the TMD

Dr. Junichi Takahashi

Pre- and post-operative evaluation in a patient with temporomandibular joint disorder due to maxillofacial deformity

Poster presentation

Dr. Katsuhiro Matsuo

Malocclusion with congenitally missing of mandibular lateral incisor: a case report

Dr. Masayoshi Shirasu

The High Angle ClassIII MLD case that performed occlusal reconstruction using GUMMETAL

Dr. Akinori Masahiro

The production procedure of the All-on-4 case that using cephalogram, CADIAX and occlusal designed.

Dr. Nobuaki Shirasu

One case that designed occlusion using cephalogram and burdened immediately in the maxillary defect department.

Dr. Yutaka Sugiyama

One case which carried out functional recovery by correcting the occlusal plane of the upper jaw to the jaw functional disorder case after the orthodontic therapy accompanied by bicuspid-tooth tooth extraction.

Dr. Jyun Kashiwazaki

Approach laterodeviation mandibular prosthesis patients

Performers were treated in this case accompanied by a partial defect laterodeviation mandibular and masticatory disability was admitted complaining of facial distortion. Eventually recover! red occlusal reconstruction was performed to ensure that the defect of upper and lower occlusal support for the implant. Observation has been three years after surgery, postoperative course I want to do a report that remains good.

Dr. Shinichi Nukazawa

The lower jaw both-sides free end deficit case in which their brains were racked for control of bruxism

Dr. Takurou Kodama

Occlusal reconstruction case reports of short-term (six months) with the surgical extrusion of the completely impacted premolar

Dr. Tsumugu Huruta

A case report of a short-term treatment for temporomandibular arthrosis. ~ A clinical case after my participation in the Kanagawa orthodontic study group ~

Dr. Takao Hashimoto

About jaw displacement and the reform accompanied by the jaw joint pain by malocclusion, and prosthetic dentistry medical treatment

Dr. Akikatsu Masugi

Dr. Taiichi Maekawa

One case who did mending treatment by diagnosis

Dr. Mayako Shinomiya

An idea of occlusion reconstruction of the complete denture case accompanied by a partial lock

Dr. Takeshi Takahashi